Complete set of claims showing deletions and additions in amended claims.

Deletions are enclosed in brackets with a strikeout line through the respective deletions while insertions are shown underlined, the language remaining from the original specification and/or previous amendments shown in regular type. Claim version identifier markings are enclosed in parentheses.

- I. (currently amended) An anti-personnel device for use in war gaming exercises comprises at least one launching mechanism for launching at least one projectile outwardly from said anti-personnel device, said launching mechanism comprising at least two movable members biased in opposing directions, said launching mechanism affixed to a mounting base of an enclosure, at least one of said movable members having a latching mechanism associated therewith for holding said movable members in a closed, armed position, said latching mechanism comprising a latch plate overlying said at least one movable member, said latch plate affixed to a cover of said enclosure and having a terminal end thereof captured by a latch hook, said movable members having a material affixed to [the] ends thereof, said material comprising a loop depending from said ends of said movable members wherein said material captures said at least one [said] projectile in said loop when said movable members are in a closed, armed position.
- (Original) An anti-personnel device as in claim 1 wherein said movable members
 of said launching mechanism are resettable to said closed, armed position thus rendering said antipersonnel device re-useable.
- [3. (canceled) An anti-personnel device as in claim 1 wherein at least one of said movable members has a latching mechanism associated therewith for holding said movable members in said closed, armed position, said latching mechanism comprises a latch plate overlying the ends of said movable members, said latch plate having a terminal end thereof captured by a latch hook.]
- 4. (currently amended) An anti-personnel device as in claim [3] 2 wherein said latching mechanism has a releasing mechanism associated therewith, said releasing mechanism moving said latch hook from engagement with said latch plate.
- 5. (Original) An anti-personnel device as in claim 4 wherein said releasing mechanism has a trip wire affixed to a lever end thereof for moving said latch hook from engagement with said latch plate when said trip wire is moved a predetermined distance.
- 6. (Original) An anti-personnel device as in claim 4 wherein said releasing mechanism has an electrical wire affixed to a lever end thereof for moving said latch hook from

engagement with said latch plate when said electrical wire is energized from a remote source.

- 7. (Original) An anti-personnel device as in claim 6 wherein said electrical wire is a Nickel/Titanium alloy which shrinks upon application of electrical current.
- [8. (canceled) An anti-personnel device as in claim I wherein said launching mechanism is affixed to a mounting base of an enclosure and said latch plate is affixed to a cover of said closure.]
- [9. (canceled) An anti-personnel device as in claim 8 wherein said least one projectile is inserted into said loop through a hole in said mounting base of said enclosure:
- [10. (canceled) An anti-personnel device as in claim 8 wherein said at least one projectile is inserted into said loop through a space between said mounting base and said cover of said enclosure.]
- 11. (Original) An anti-personnel device as in claim I wherein said at least one projectile is selected from the group comprising paintballs, hollow thermoplastic balls, metal BB's, elastomeric BB's, soap pellets, rubber pellets, Buckshot or other simulated munitions.
- 12. (Original) An anti-personnel device as in claim I wherein said material is removably affixed to said ends of said movable members whereby said material may be replaced when worn.
- comprises at least one launching mechanism for launching at least one projectile outwardly from said anti-personnel device, said launching mechanism comprising a movable member biased in a direction away from a fixed member, said launching mechanism affixed to a mounting base of an enclosure, said members having a material affixed to [the] ends thereof, said material comprising a loop depending from said ends of said members wherein said material captures said at least one [said] projectile in said loop when said members are in a closed position, at least one of said members having a latching system associated therewith for holding said movable [members] member in said closed, armed position said latching system comprising a latch plate overlying said movable member, said latch plate affixed to a cover of said enclosure and having a terminal end thereof captured by a latch hook.
- 14. (Original) An anti-personnel device as in claim 13 wherein said movable member of said launching mechanism is resettable against said fixed member to said closed, armed position thus rendering said anti-personnel device re-useable.

5

10

- 15. (Original) An anti-personnel device as in claim 13 wherein said at least one projectile is selected from the group comprising paintballs, hollow thermoplastic balls, metal BB's, thermoplastic BB's.
- 16. (currently amended) An anti-personnel device for use in war gaming exercises comprises an array of launching mechanisms, said launching mechanisms having means for launching multiple projectiles outwardly from said anti-personnel device in a random pattern, each said launching mechanism of said array comprising at least two movable members biased in opposing directions, said launching mechanism affixed to a mounting base of an enclosure, at least one of said movable members having a latching mechanism associated therewith for holding said movable members in a closed, armed position, said latching mechanism comprising a latch plate overlying said at least one movable member, said members having a material affixed to [the] ends thereof, said material comprising a loop depending from said ends of said members wherein said material captures said projectiles in said loop when said members are in a closed position, at least one of said members having a latching mechanism associated therewith for holding said members in said closed position.
- 17. (currently amended) An [array of] anti-personnel device as in claim 16 wherein said array has a common [a] trip wire associated with said latching mechanism of each of said launching mechanisms for releasing said latching mechanism when said trip wire is moved a predetermined distance.
- 18. (currently amended) An [array of] anti-personnel device as in claim 17 wherein said [all anti-personnel devices] launching mechanisms of said array are actuated simultaneously.
- 19. (currently amended) An [array of] anti-personnel device as in claim 17 wherein said [anti-personnel devices] launching mechanisms of said array are actuated sequentially.
- 20. (Original) An anti-personnel device as in claim 16 wherein said projectiles are selected from the group comprising paintballs, hollow thermoplastic balls, metal BB's, thermoplastic BB's.